

## TECHNICAL DATA

# Fluke CXT80 Extreme Case



## Key features

- Dimensions (H x W x D): 10.62 x 9.68 x 4.87 (in), 315 x 174 x 104 (mm)
- Waterproof up to 3 feet with O-ring seal, airtight and built for extreme conditions. Features patent-pending spring-release latches, stackability, and a finger groove for easy carrying.
- Offers maximum protection for your Fluke tools and accessories against high impact, vibration or shock
- see compatible products below

## Product overview: Fluke CXT80 Extreme Case

Unbreakable, watertight, airtight, dustproof, chemical resistant and corrosion proof.

## Ordering information



### Fluke CXT80

---

For use with the following test tools:

- Multimeters: 27, 83 V, 85 V, 87 V, 187, 189
  - Process Tools: 724, 725, 726, 789
-

Fluke. *Keeping your world up and running.*®

**Fluke Europe B.V.**

P.O. Box 1186  
5602 BD Eindhoven  
The Netherlands  
[www.fluke.com/en](http://www.fluke.com/en)

©2024 Fluke Corporation. All rights reserved.

Data subject to alteration without notice.

04/2024

**For more information call:**

In Middle East/Africa  
+31 (0)40 267 5100

**Modification of this document is not permitted  
without written permission from Fluke Corporation.**