

**TECHNICAL DATA** 

# VPS220-G - Voltage Probe Set, 100:1, one grey



### **Key features**

#### Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip

### Product overview: VPS220-G - Voltage Probe Set, 100:1, one grey

Double insulated voltage probe for ScopeMeter 190 series.

### Specifications: VPS220-G - Voltage Probe Set, 100:1, one grey


Specification	
Attenuation	100:1
Bandwidth	200 MHz
Max. input voltage	1000 V CAT II or 600 V CAT III



Max. voltage to ground	1000 V CAT II or 600 V CAT III per IEC / EN61010-031
Input resistance	100 ΜΩ
Input capacitance	4.6 pF
Compensation range	10 to 25 pF
Cable length	1.2 m



## **Ordering information**



#### Fluke VPS220-G

Voltage Probe Set, 100:1, one grey

Each probe set includes:

- 600 V CAT III / 1000 V CAT II rated 100:1 Voltage Probe
- Hook Clip for Probe Tip
- Ground Lead with Mini Alligator
- Insulation Sleeve
- 30 V CAT II rated Ground Spring for Probe Tip



#### $\textbf{Fluke}. \ \textit{Keeping your world up and running}. \\ \textcircled{\$}$

Fluke Corporation

PO Box 9090, Everett, WA 98206 U.S.A.

For more information call: In the U.S.A. (800) 443-5853 In Canada (800) 36-FLUKE From other countries +1 (425) 446-5500 www.fluke.com ©2022 Fluke Corporation. Specifications subject to change without notice. 09/2022

Modification of this document is not permitted without written permission from Fluke Corporation.